

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	Dr. Dev Kumari Wakhloo
	(ii) Name of HCF or CBMWTF	Dr. Dev Kumari Wakhloo
	(iii) Address for Correspondence	ANKUR MAITRIKA HOSPITALS OPC Pvt. LTD
	(iv) Address of Facility	Ward No. 55, Beeli, Channi, Jammu - 180011
	(v) Tel. No, Fax. No	Ward No. 55, Beeli, Channi, Jammu - 180011
	(vi) E-mail ID	9419183018, 7051602105
	(vii) URL of Website	ankurmaitrika@gmail.com
	(viii) GPS coordinates of HCF or CBMWTF	www.ankurmaitrikahospital.com
	(ix) Ownership of HCF or CBMWTF	32.6826524 X 74.9037193
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	(State Government or Private or Semi Govt. or any other)
	(xi). Status of Consents under Water Act and Air Act	Authorisation No.: JKPCB/HO/BMW/2463190 25-04-2022, valid up to 31-01-2027 Valid up to: 31-12-2030 Consent No. - PCC/digital/25065460492 of 2025
2	Type of Health Care Facility	
	(i) Bedded Hospital :	No. of Beds 40
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	-
	(iii) License number and its date of expiry	-
3	Details of CBMWTF :	- N/A
	(i) Number healthcare facilities covered by CBMWTF	-
	(ii) No of beds covered by CBMWTF	-
	(iii) Installed treatment and disposal capacity of CBMWTF	_____ Kg per day
	(iv) Quantity of biomedical waste treated or	Kg/day - N/A



	disposed by CBMWTF		N/A																																																
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 2092.11 kg/year Red Category : 2226 kg/year White: 310.45 kg/year Blue Category : 2536.6 kg/year General Solid waste: -																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : 20 cubic metre X 3 Capacity : Refrigerator Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>10</td> <td></td> <td>4-5 kg/annum</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Deep burial pit:</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Chemical disinfection</td> <td></td> <td></td> <td>/</td> </tr> <tr> <td>Any other treatment equipment</td> <td>ETP aurn STP</td> <td>-</td> <td>35KLD</td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators			/	Plasma Pyrolysis			/	Autoclaves			/	Microwave			/	Hydroclave			/	Shredder			/	Needle tip cutter or destroyer	10		4-5 kg/annum	Sharps encapsulation or concrete pit			/	Deep burial pit:			/	Chemical disinfection			/	Any other treatment equipment	ETP aurn STP	-	35KLD
Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																																
Incinerators			/																																																
Plasma Pyrolysis			/																																																
Autoclaves			/																																																
Microwave			/																																																
Hydroclave			/																																																
Shredder			/																																																
Needle tip cutter or destroyer	10		4-5 kg/annum																																																
Sharps encapsulation or concrete pit			/																																																
Deep burial pit:			/																																																
Chemical disinfection			/																																																
Any other treatment equipment	ETP aurn STP	-	35KLD																																																
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) -																																																



	(iv) No of vehicles used for collection and transportation of biomedical waste		N/A									
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th></th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration Ash</td> <td>/</td> <td>/</td> </tr> <tr> <td>ETP Sludge</td> <td>N/A</td> <td>/</td> </tr> </tbody> </table>		Quantity generated	Where disposed	Incineration Ash	/	/	ETP Sludge	N/A	/
	Quantity generated	Where disposed										
Incineration Ash	/	/										
ETP Sludge	N/A	/										
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Animal Healthcare (A common facility for treatment of BMD)									
	(vii) List of member HCF not handed over bio-medical waste.		-									
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		-									
7	Details trainings conducted on BMW		Yes									
	(i) Number of trainings conducted on BMW Management.		Every Month									
	(ii) number of personnel trained		150-160									
	(iii) number of personnel trained at the time of induction		Every personnel trained at the time of induction									
	(iv) number of personnel not undergone any training so far		- Nil -									
	(v) whether standard manual for training is available?		Yes									
	(vi) any other information		-									
8	Details of the accident occurred during the year		-									
	(i) Number of Accidents occurred		-									
	(ii) Number of the persons affected		-									
	(iii) Remedial Action taken (Please attach details if any)		-									
	(iv) Any Fatality occurred, details.		-									
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not me the standards?		-									
	Details of Continuous online emission		-									



	monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	ETP cum STP
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	—
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) — NA —

Certified that the above report is for the period from

..... January, 2024 To December, 2024

Date: 17th July, 2025
 Place: Jammu

Name and Signature of the Head of the Institution


Dev Kurnani Wakhloo
 Dr. Dev Kurnani Wakhloo
 (Owner/Proprietor)
 Ankur Maitrika Hospitals
 OPC Pvt. Ltd.
 Jammu - 180011